

Quotation Request //

US Government Printing Office

Agency Publishing Services
732 North Capitol Street, NW
Washington DC 20401-0001

JACKET:029-569

Issue Date and Time: 09/25/2006 5:30 PM

Quotations are Due By:

(Eastern Time)10:00 AM on 08/25/2006

Submit Fax Quotes to: 00000000

TITLE: Check Stub Form

QUANTITY: 55000 perforated forms

TRIM SIZE: 8-1/2 x 11"

PAGES: Face and back.

SCHEDULE:

Furnished Material will be available for pickup by 08/28/2006

Deliver complete (to arrive at destination) by 09/12/2006

F.O.B. destination

QUALITY LEVEL: 3 Quality Assurance Through Attributes (GPO PUB 310.1, effective May 1979 (Rev. 8-02)) applies.

DESCRIPTION:

Print type matter on face and back. Face also contains two jumbled character blackout areas; one is approx. 7-1/8 x 3-1/4" starting 3/16" from top edge of form, and the other blackout area is approx. 7-1/8 x 2-5/8" starting 7-5/16" from top edge of form. Approx. ink coverage on form is 30% face and less than 5% back.

Perforate form vertically (slit or slot without ink) along the entire 11" dimension at 3/8" from left and right edges. Fine dot perforate form horizontally (slit or slot without ink) along the entire 8-1/2" dimension at 3-5/8" from the top edge of form and 7-3/8" from top edge of form to facilitate folding.

Back of form to contain an approx. 1/4 x 11" strip of pressure seal glue, or equivalent, along the left and right edges in the perforated left and right segments. Back will also have three strips of pressure seal glue, or equivalent, approx. 3/4" to 1" x 3/8" each, evenly spaced along the top 8-1/2" dimension at approx. 1/16" from top edge.

Forms must be guaranteed to function on PSMailers 7K Plus Modified and High Speed Xerox Laser Printers.

CONTRACTOR'S NAME MUST NOT APPEAR ON FINAL PRODUCT.

MATERIAL FURNISHED: Contractor to pickup at GPO. One sample from a previous printing to use as camera copy.

PAPER: * Must be in accordance with JCP Paper Specification Standards in effect on date of this order
JCP Code* O61, White High Quality Copier, Laser, Xerographic, Basis Size 17 X 22" Basis Weight 28 lb.

COLOR OF INK:

Pantone 286 blue

MARGINS: Follow Copy Sample. Adequate Gripper.

PROOFS:

PRIOR TO PRODUCTION SAMPLES: The sample requirement for this contract is not less than 50 printed construction samples. Each sample shall be printed and constructed as specified and must be of the size, kind, and quality that the contractor will furnish.

Samples will be inspected and tested and must comply with the specifications as to construction, kind, and quality of materials.

Prior to the commencement of production of the contract production quantity, the contractor shall submit samples to: U.S. Government Printing Office, Contract Management Division, Contract Compliance Section (PPSC), Washington, DC 20401. All samples will be tested for conformance of material(s). All samples will be tested for usage on the specified equipment and/or for construction. The container and accompanying documentation shall be marked PREPRODUCTION SAMPLES and shall include the GPO jacket, purchase order, and program numbers. The samples must be submitted in sufficient time to allow Government testing of the samples and production and shipment in accordance with the shipping schedule.

Your Contract Administrator is: AST 6 Call: (202) 512-0303 Written By: ebukva Reviewed By: